## QUICK SETTINGS GUIDE TO LINKING FLDIGI AND FLMSG

## VERSION 1.0 - 3/20/2017

Written By W2JPT

## FLDIGI SETTINGS

From a fresh install after the wizard your screen will look like this.



(optional) I like to change the interface to remove the rig control for a cleaner look.

💷 fld	fldigi ver3.23.22.16 - W2JPT																
Eile	Op Mode	e	Configure	View	<u>L</u> ogbook	:	Help						∏ Spot	RxID	TxID		
				Vie	w/Hide C	nannels	۷										
			======	Vie	w/Hide 4	8 macros		======= iuctio\fldi	====== iai filoc\n		=====	=====					
		2	======	D)	Cluster			======	=====	======	=====	=====					
			o ms Eae	🜆 Flo	ating sco	be	D										12
		$\cup$	ees o 0 n	MF	SK Image		Μ										
				Т	IOR Raw I	mage	Μ										
			т	IF	KP Raw In	age	Μ										
			1	N I	eather Fa	(Image	RX M										H
				W	eather Fa	(Image	тх м										
				Sig	nal brows	er	S		1								
		$\overline{}$		Ri	g/Log Con	trols	•	O Full									
CQ				W	aterfall		<u> </u>	None									
3.0	🏷 Clear								J								
CQ	H A	ANS	M QS	o ₩	KN 🛙	Š	к 🛙	Me/Qt	th 🗍 🛛	Brag		Т	/R	Tx ₩	Rx 📗	тх М	1
			500			1000			1500			2000		250	0	-	
					7 6k			- 3.3									
								1 3.									
WF	4-2	20	Þ		x1			NORM	**	1004		QSY	Store	∏ Lk	∏ Rv	∏ T/R	
BPSK	31		s/n 1 d	В										-3.0	▶♦∎	AFC 1	SQL

💷 fld	igi ver3.23.	22.16 - W2JF	т										
Eile	Op <u>M</u> ode	Configure	<u>V</u> iew	<u>L</u> ogbook	Help				E Spot	RxID	TxID		
											-	-	
CQ 3.0	Clear	I											•
CQ	M AN:	s M 🛛 QS	o 🕨	KN 🛮	SK 🛙	Me/Qth	Brag		T/R	Tx 🕨	Rx 📗	Тх И	1
WF	-20	\$00   100     100   		1			500 	2000 2000	SY Store	2500 	Γ Rv	T/R	
BPSK	31	s/n 30	dB							-3.0 🕨	₩♦∎/	AFC C	SQL

Select the RxID and TxID in the top right so you receive and transmit ID information.

Now select the Op Mode. We use MT63-2000L for our NET.

💷 fld	🗉 fldigi ver3.23.22.16 - W2JPT													
Eile	Op Mode	Conf	igure <u>V</u> iew	<u>L</u> ogbook	He	lp				∏ Spot	RxID	TxID		
	CW											Â	<u> </u>	
	Contestia	≁												
	DominoEX	•												
	FSQ	►												
	Hell	•												12
	IFKP	•												
	MFSK	•		_										<u> </u>
	MT63	- •	MT63-500S						 					<u> </u>
	Olivia	≁	MT63-500L											
	PSK	≁	MT63-1000S											
	QPSK	≁	MT63-1000L											
	8PSK	≁	MT63-2000S											
	PSKR	►	MT63-2000L	J										
CO	RTTY	•												
	THOR	•												
3.0	Throb	•												
CQ	WEFAX	•	QSO 🕨	KN 🛙	SK 🛛	Me/(	2th 🖉	Brag	T/	/R	Tx 🕨 🚽	Rx 📗	K XT	1
	Navtex/Sitor	B 🕨	500	i	1000		1500		2000		2500	)		
	WWV													
	Freq Scan													
	Freq Analysi	s												
	NULL		A day making a											
	SSB						Tel P	-	100					
WF	-20	Þ	( 70 )	x1 (		NORM		1003	QSY	Store	∏	∏ Rv	∏T/R	
MT63	3-2KL									<b>4</b>	-3.0 🕨	▶♦	AFC	SQL

To link flmsg to fldigi select Configure -> Misc

Ildigi ver3.23.22.16 - W2JPT		
Eile Op Mode Configure View L	ogbook <u>H</u> elp	Spot RxID TxID FTUNE
🛆 🚷 Operator		
Colors & Fonts		
User Interface		
Waterfall		2
Waterfall controls		
鈴 Modems		
Rig control		
Sound Card		Ä
IDs		
Misc		4
Autostart		× 1
CQ		
3.0 Clear PSM	-	
CQ M ANS	KN II SK II Me/Qth Brag	T/R Tx ₩ Rx II TX 1 1
Contest	1000 1500	2000 2500
Mar ager		2 <u>9</u> 9
Maccogger		
Save Comig		
WF 4 -20 + 4 70 + >	1 • • • NORM • • 1003 •	♥ ♥ QSY Store 「Lk 「Rv 「T/R ●
MT63-2KL		

Select the NBMES tab and click on the Locate flmsg button.

Fldigi configuration								
Operator UI Waterfall Modems Rig ID Audio Misc Web Autostart IO PSM								
CPU NBEMS Pskmail Spotting Sweet Spot Text i/o DTMF WX KML								
NBEMS data file interface								
Reception of flmsg	files							
Selection of transfer direct takes precedence over all other flmsg reception settings								
✓Transfer direct to executing flmsg								
⊘Oper	with flmsg Øpen in b	browser						
flmsg:								
2.0 Timeout (secs)								
Restore defaults		Save	ж <-					

Browse to the flmsg executable. For a default install it will be located at C:\Program Files (x86)\flmsg-x.x.x. Click open.

Locate flmsg executable			<b>×</b>
😋 🗢 두 🚺 « Program Files	(x86) ► flmsg-4.0.1 ~	Search flmsg-4	.0.1 🔎
Organize 👻 New folder		-	≡ - □ 0
Downloads ^ N	lame	Date modified	Туре
Secont Places	flmsg	12/18/2016 3:58 PM	Application
ConeDrive	uninstall	3/20/2017 1:11 PM	Application
Computer			
HP_TOOLS (E:)			4
File <u>n</u> ame:	flmsg	<ul> <li>✓ flmsg.exe (*.exe)</li> <li>Open</li> </ul>	Cancel

You should now see the path to Flmsg. Click save then close.

💷 Fldigi configura	ation								
Operator UI Waterfall Modems Rig ID Audio Misc Web Autostart IO PSM									
CPU NBEMS Pskmail Spotting Sweet Spot Text i/o DTMF WX KML									
NBEMS data file interface									
	€Enable	○Open message folder							
Reception	of flmsg files								
	Selection of transfer direct takes precedence over all other flmsg reception settings								
	♂Transfer direct to executing	flmsg							
	⊘Open with flmsg	Open in browser							
flmsg:	fimsg: C:\Program Files (x86)\fimsg-4.0.1\fimsg.exe								
2.0 Timeout (secs)									
Restore defa	aults	Save	Close <-						

Flmsg will open when receiving a Flmsg formatted form via Fldigi.